


MAKE A MOVE!

**Raise your potential
with WireFree smart shading**





MAKE THE MOVE TO NEW SALES OPPORTUNITIES

Now is the time to bring customers bold inspiration with WireFree solutions powered by Somfy, which are:

VERSATILE

Automate and connect an extensive range of shades, blinds & draperies.

SLEEK & DISCREET

Innovative motor design is WireFree, eliminating the need for electrician costs.

SIMPLE TO INSTALL

Save time and money thanks to an easy installation process.

MAKE THE MOVE TO A BETTER CUSTOMER EXPERIENCE

Revolutionize your customers' interior space with convenient & connected control of:

- Natural light
- Temperature
- Glare
- Privacy

AUTOMATED


Program timed events to automate shades at certain times of the day with Somfy connected solutions.



SAFE

No hanging cords, so you're providing a child-safe and pet-friendly solution.

QUIET

Improved sound quality ensures a peaceful and comfortable space.





MAKE THE MOVE TO CONNECTED SOLUTIONS

Make the most of the smart capabilities and innovative benefits of Somfy WireFree solutions.

AN INTUITIVE APP

Allows users to control their shades, blinds & draperies from anywhere, anytime.

SIMPLE VOICE CONTROL

Integrated smart home control and voice commands create even more opportunities.

COMPATIBILITY


Compatible with other Somfy products and smart home brands to increase business opportunities.



YOUR CUSTOMERS CAN CHOOSE THE BEST CONTROL DEVICE FOR THEIR NEEDS



- **Wall switch:** Smoove® RTS
- **Remote control:** Telis RTS, Situ®
- **App control:** myLink™, TaHoma®
- **Voice control:** Compatible with Amazon Alexa and Google Assistant*




myLink™ app and the new TaHoma® app
Easily control Somfy products with a smartphone or tablet at anytime, from anywhere. Home or away.



* With myLink, Google Assistant is available via IFTTT


SOMFY WIREFREE RANGE FOR INTERIOR WINDOW COVERINGS



ROLLER




ROMAN




WOVEN WOOD




LAYERED/
ZEBRA



SHEER
HORIZONTAL




PLEATED



CELLULAR



HORIZONTAL
BLIND



DRAPERY



Key functionalities

- **Battery operated motors**
- **Regulated and adjustable speed** for precision & alignment
- **Smooth motion** with soft start & soft stop
- **Improved acoustic standards**
- **Solar charging options**
- **Manual override, touch motion** (for draperies only)



Key selling points for your customers

- Compatible with **today's most popular window coverings**
- **Easy installation:** no electrical wiring needed
- **Long-life rechargeable batteries**
- **Sleek design & installation:** blends seamlessly into any interior decor
- **Discreet & smooth operation** with Designed for Silence® range
- **Various control device possibilities**
- **Voice control compatibility**



Long-life rechargeable batteries



Many of our motors and accessories guarantee an industry-leading level of premium silence


SOMFY WIREFREE LI-ION MOTORS

Li-ion

A rechargeable battery with proven technology and outstanding performance. It features a compact design with no memory effect and a low self-discharge for increased battery life.

Quality

Somfy guarantees quality products with controlled manufacturing processes.



Safety

The Somfy Li-ion offer is comprised of motors, battery packs and chargers. Each element is meticulously tested to ensure safe and optimal performance.

Somfy Li-ion battery packs comply with:

- IEC 62133 (Battery safety testing)
- UL 2054 (Household and commercial batteries).
- UN 38.3 (Recommendations on the transport of dangerous goods)

Somfy Li-ion motors comply with:

- IEC 60335 (Household appliance safety standard).

Finally, our Li-ion chargers comply with:

- UL 1330 (Appliance wiring materials).



Autonomy


Somfy offers long-lasting batteries that need to be recharged only once or twice a year.














When you choose Somfy motorization for your customers, you choose with **the confidence of a five-year warranty** and a 50-year reputation for well designed, high-quality reliability. You choose **the customer service and support** you'd expect from a world leader, focused on a better way of living.

** 2-year limited warranty on batteries*



TUBULAR MOTORS




Motor	Torque	Speed	Min. tube diameter	Total length	Battery capacity	Recharge cycle	Designed for Silence
Sonesse® 40 WireFree RTS (Li-ion)  1240485	3 Nm	10-28 rpm	1.39 in. (35.3 mm)	25.6 in. (650 mm)	4600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
Sonesse® ULTRA 30 WireFree RTS (Li-ion)  1003310	2 Nm	10-28 rpm	1.13 in. (28.8 mm)	25.6 in. (650 mm)	2600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
Sonesse® 30 WireFree RTS (Li-ion)  1003128	2 Nm	10-28 rpm	1.13 in. (28.8 mm)	23.7 in. (601.7 mm)	2600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
Sonesse® 28 WireFree RTS (Li-ion)  1003297	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	21.5 in. (546 mm)	2600 mAh	1 / year	 Somfy DESIGNED FOR SILENCE
Sonesse® 28 WireFree RTS (External Battery)  1241230	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	13.7 in. (349 mm)	External	1 / year	 Somfy DESIGNED FOR SILENCE
Roll Up 28 WireFree™ RTS (Li-ion)  1240291	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	22.8 in. (580 mm)	2600 mAh	1 / year	-
Roll Up 28 WireFree™ RTS (External Battery)  1240292	1.1 Nm	10-28 rpm	1.05 in. (26.6 mm)	13.98 in. (355 mm)	External	1 / year	-
Roll Up 24 WireFree™ RTS (Li-ion)  1240278	0.55 Nm	20 - 38 rpm	0.87 in. (22 mm)	18.8 in. (478 mm)	800 mAh	2 / year	-

SHAFT MOTORS

Motor	Torque	Speed	Headrail width	Total length	Designed for Silence
Cord Lift WireFree™ TL25 RTS  1003294	0.8 Nm	18-30 rpm	min 1 in. (25 mm)	7.9 in. (200 mm)	 Somfy DESIGNED FOR SILENCE





Motor	Torque	Speed	Headrail width	Total length	Designed for Silence
Tilt 50 WireFree™ Through-Shaft RTS  1240276	1 Nm	5-15 rpm	min 2 in. (50 mm)	4.09 in. (104 mm)	-




DRAPERY MOTORS



Motor	Max. track length	Compatible with bent tracks	Speed	Max. drapery weight	Battery capacity	Recharge cycle	Designed for Silence
Irismo™ 45 WireFree RTS  1002353	33 ft. (10 m)	yes	4.9-7.87 in./sec. 12.5-20 cm/sec.	99 lbs. (45 kg)	2950 mAh	1 / year	 Somfy DESIGNED FOR SILENCE

TUBULAR MOTORS



Sonesse® 40 WireFree RTS (Li-ion)

NEW

Part #1240485

The most powerful and easy-to-install motor for larger shading applications designed for silence



Torque	3 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.39 in. (35.3 mm)
Total length	25.6 in. (650 mm)
Battery capacity	4600 mAh
Recharge	1 / year



Sonesse® ULTRA 30 WireFree RTS (Li-ion)

NEW

Part #1003310

The ULTRA powerful, ULTRA easy and ULTRA silent



Torque	2 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.13 in. (28.8 mm)
Total length	25.6 in. (650 mm)
Battery capacity	2600 mAh
Recharge	1 / year



Sonesse® 30 WireFree RTS (Li-ion)

Part #1003128

The powerful and easy-to-install motor, designed for silence



Torque	2 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.13 in. (28.8 mm)
Total length	23.7 in. (601.7 mm)
Battery capacity	2600 mAh
Recharge	1 / year



Sonesse® 28 WireFree RTS (Li-ion)

NEW

Part #1003297

The multi-functional easy-to-install motor, designed for silence



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	21.5 in. (546 mm)
Battery capacity	2600 mAh
Recharge	1 / year



Sonessé® 28 WireFree RTS (External Battery)

Part #1241230

The multi-functional easy-to-install motor, designed for silence



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	13.7 in. (349 mm)
Battery	External
Recharge	1 / year



NEW

Roll Up 28 WireFree™ RTS (Li-ion)

Part #1240291

The multi-functional and easy-to-install motor



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	22.8 in. (580 mm)
Battery capacity	2600 mAh
Recharge	1 / year



Roll Up 28 WireFree™ RTS (External Battery)

Part #1240292

The multi-functional and easy-to-install motor



Torque	1.1 Nm
Speed	10 - 28 rpm
Min. tube diameter	1.05 in. (26.6 mm)
Total length	13.98 in. (355 mm)
Battery	External
Recharge	1 / year



Roll Up 24 WireFree™ RTS (Li-ion)

Part #1240278

The smallest motor to fit the smallest roller tubes



Torque	0.55 Nm
Speed	20 - 38 rpm
Min. tube diameter	.87 in. (22 mm)
Total length	18.8 in. (478 mm)
Battery capacity	800 mAh
Recharge	2 / year

NEW




SHAFT MOTORS

Cord Lift WireFree™ TL25 RTS

Part #1003294

New for Cord Lift headrail applications



Torque	0.8 Nm
Speed	18 - 30 rpm
Headrail width	min 1 in. (25 mm)
Total length	7.9 in. (200 mm)



Tilt 50 WireFree™ Through-Shaft RTS

Part #1240276

Shaft motor for tilting 2 inch horizontal blinds



Torque	1.0 Nm
Speed	5 - 15 rpm
Headrail width	min 2 in. (50 mm)
Total length	4.09 in. (104 mm)



POWER SOURCES



Plug-in Charger with 6ft Cable
Part #9020672

Compatible with motors:
1003128 and 1240291

Charging Extension Cable:
96" - 9020673



Lithium-ion Charger with 6ft Cable
Part #9025166

Compatible with motors:
1240485, 1003310, 1003297 and 1240278

Charging extension Cables:
94.5" - 9021016
8" - 9021131 (for headrail/cassette applications)



Plug-in Wall Power Supply with 9.9ft Cable
(120V AC to 12V DC)
Part #1822445

Compatible with motors:
1003294, 1240276, 1241230 and 1240292

DRAPERY MOTOR



Irismo™ 45 WireFree RTS

Part #1002353

With removable (Li-ion) rechargeable battery



- For use with straight, bent, curved or ripple track
- Pinch Pleat and Ripplefold®
- Quiet operation

Max. track length	33 ft. (10 m)
Compatible with bent tracks	yes
Speed	4.9-7.87 in./sec. (12.5 - 20 cm/sec.)
Max drapery weight	99 lbs. (45 kg)
Battery capacity	2950 mAh
Recharge	1 / year




Li-ion Rechargeable Battery Pack (2600 mAh)

Part #9021217

Compatible with motors:
1003294, 1240276, 1241230 and 1240292

Extension Cables for Battery to Motor:

- 10" - 9018623
- 48" - 9016736
- 96" - 9018624



Solar Panel for Li-ion

Part #9027294

Compatible with motors:
1240485, 1003310, 1003297 and 1240278

Compatible with Li-ion Battery Pack:
9021217



Plug-in Charger for Irismo™ 45

Part #1003080

Compatible with motor:
1002353

About Somfy

SOMFY® is the leading global manufacturer of strong, quiet motors with electronic and app controls for interior window coverings and exterior solar protections. Over 270 million users worldwide enjoy the more than 170 million motors produced by Somfy. During the past 50 years, Somfy engineers have designed products for both the commercial and residential markets to motorize window coverings such as interior shades, wood blinds, draperies, awnings, rolling shutters, exterior solar screens and projection screens. Somfy motorization systems are easily integrated with security, HVAC and lighting systems providing total home or building automation.

SOMFY SYSTEMS INC SOMFY NORTH AMERICAN HEADQUARTERS

121 Herrod Blvd.
Dayton, NJ 08810
T: (800) 22-SOMFY (76639)
NJ: (609) 395-1300
F: (609) 395-1776

FLORIDA

1200 SW 35th Ave.
Boynton Beach, FL 33426
T: (800) 22-SOMFY (76639)
F: (561) 995-7502

CALIFORNIA

15301 Barranca Parkway
Irvine, CA 92618-2201
T: (800) 22-SOMFY (76639)
F: (949) 727-3775

SOMFY ULC

SOMFY Canada Division

5178 Everest Drive
Mississauga, Ontario L4W2R4
T: 1-800-66-SOMFY (76639)
CN: (905) 564-6446
F: (905) 238-1491

www.somfypro.com

A BRAND OF **SOMFY** GROUP

somfy®